

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGEMENTS	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	xi
	LIST OF FIGURES	xii
	LIST OF APPENDICES	xiii
	LIST OF ABBREVIATIONS	xiv
I	INTRODUCTION	1
	1.1 Background	1
	1.2 Problem Statement	2
	1.3 Objective of The Study	3
	1.4 Scope of The Study	3
	1.5 Significant of Study	4
II	LITERATURE REVIEW	5
	2.1 Introduction	5
	2.2 Advantages Of Asphalt Cold Mixes	5
	2.3 Limitations of Asphalt cold Mixes	6
	2.4 Asphalt Types And Uses	8
	2.4.1 Emulsified Asphalt	8

	2.4.2 Cutback Asphalt	8
2.5	Selecting the Proper Asphalt	11
2.6	Kerosene	12
2.7	Diesel	13
2.8	Oil Palm Fruit Ash	15
2.9	Volumetric Properties	17
	2.9.1 Voids in Total Mix (VTM)	17
	2.9.2 Voids in the Mineral Aggregate (VMA)	18
	2.9.3 Voids filled Bitumen (VFB)	19
	2.9.4 Density	20
	2.9.5 Stability	20
	2.9.6 Flow	21
	2.9.7 Stiffness	21
	2.10 Resilient Modulus	22
III	METHODOLOGY	24
3.1	Introduction	24
3.2	Operational Framework	25
3.3	Sieve Analysis of Fine and Coarse Aggregate	26
	3.3.1 Apparatus	27
	3.3.2 Procedures	27
3.4	Aggregate Gradation	28
3.5	Washed Sieve Analysis	29
	3.5.1 Apparatus	29
	3.5.2 Procedure	30
3.6	Specific Gravity of Aggregate	31
	3.6.1 Specific Gravity for Fine Aggregates	31
	3.6.1.1 Apparatus	31
	3.6.1.2 Procedure	32
	3.6.2 Specific Gravity for Coarse Aggregates	33
	3.6.2.1 Apparatus	33
	3.6.2.2 Procedure	34
3.7	Bituminous Binder	35

3.8	Oil Palm Fruit Ash (OPFAsh)	35
3.9	Marshall Mix Design	36
3.9.1	Theoretical Maximum Density (Loose Mix)	38
3.9.1.1	Apparatus	38
3.9.1.2	Procedures	39
3.9.2	Marshall Mix	40
3.9.2.1	Apparatus	40
3.9.2.2	Procedures	41
3.10	Resilient Modulus	43
3.10.1	Apparatus	43
3.10.2	Procedure	44
3.11	Marshall Test and Volumetric Measurement	45
3.11.1	Bulk Specific Gravity Measurement	46
3.11.2	Analyzing Marshall Test Results	47
IV	RESULT AND DISCUSSION	49
4.1	Introduction	49
4.2	Materials Preparation	49
4.2.1	Aggregate	50
4.2.1.1	Aggregate Gradation	50
4.2.1.2	Washed Sieve Analysis	51
4.2.1.3	Specific Gravity	52
4.2.2	Asphalt	52
4.2.2.1	Specific Gravity	53
4.2.3	Oil Palm Fruit Ash	53
4.2.3.2	Specific Gravity	53
4.3	Marshall Sample	53
4.3.1	Sample Preparation	54
4.3.2	Determination of Optimum Bitumen Content	54
4.3.3	Theoretical Maximum Density (TMD)	54
4.3.4	Results of Resilient Modulus	55
4.3.5	Results of Volumetric Properties	56

V	CONCLUSION	58
	5.1 Introduction	58
	5.2 Conclusions	58
	5.3 Recommendations	59
	REFERENCES	60
	APPENDICES A-I	62 - 97

LIST OF TABLES

TABLE NO.	TITLE	PAGE
2.1	Guide for uses of Asphalt in Cold Mix	9
2.2	Typical Asphalt Temperatures for Cold Mix Construction	10
2.3	Physical and chemical composition of OPFAsh	16
3.1	Gradation limit for AC 14	28
3.2	Design Bitumen Contents	35
3.3	Descriptive statistic of operation speed	37
3.4	Minimum sample size requirement for maximum theoretical specific gravity (ASTM D 2041)	38
3.5	Test and Analysis Parameters for Specialty Mixed	47
4.1	Gradation limit for AC14	50
4.2	Washed sieve analysis	51
4.3	Specific gravity of materials used	52
4.4	Verification Result's Comparison for Both Types of Samples	55
4.5	Verification Result's Comparison for Both Types of Samples	56

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
3.1	Flow chart for laboratory process and analysis	26
3.2	Mechanical sieve shaker	29
3.3	Oil Palm Fruit Ash	36
3.4	Apparatus for TMD test	39
3.5	Materials were mixed together	42
3.6	Automatic Marshall compactor hammer	42
3.7	Resilient Modulus Testing	45
3.8	Machine of flow and stability test	48
4.1	Gradation limit of AC14	51

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
A	Aggregate Size Distribution And Determination Of Filler AC14	63
B	Specific Gravity For Coarse	65
C	Resilient Modulus Result	69
D	Marshall Test Result (Ac14-Control)	71
E	Marshall Test Result (AC14-5% Opfash)	75
F	Marshall Test Result (AC14-10% Opfash)	79
G	Marshall Test Result (AC14-15% Opfash)	83
H	Theoretical Maximum Density For AC14	87
I	Laboratory Photographs	95

LIST OF ABBREVIATIONS

OPFAsh	Oil palm fruit ash
JKR	Jabatan Kerja Raya
AC14	Asphaltic Concrete with Nominal Maximum Aggregate Size of 14mm
HMA	Hot Mix Asphalt
ASTM	American Society for Testing and Materials
JKR	Jabatan Kerja Raya
VTM	Voids in Total Mix
VMA	Voids in Mineral Aggregate
VFB	Voids Filled with Bitumen
OBC	Optimum Bitumen Content
SSD	Saturated-surface-dry
TMD	Theoretical Maximum Density
G_{mb}	Bulk specific gravity of compacted mix
G_{sb}	Combined bulk specific gravity of total aggregate
G_{mm}	Theoretical maximum density